Lovibond[®] Water Testing

Tintometer® Group



Page 1/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 04.06.2019

Version number 55

Revision: 01.04.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Product name: DPD 1 Reagent Solution
- · Catalog number: 471020
- \cdot 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation: Reagent for water analysis
- · 1.3 Details of the supplier of the safety data sheet
- Supplier: Tintometer GmbH Lovibond® Water Testing Schleefstraße 8-12 D 44287 Dortmund Deutschland Made in Germany www.lovibond.com

phone: +49(0)231 945100 e-mail: verkauf@tintometer.de / sales@tintometer.de

- · Informing department: e-mail: sds@tintometer.de
- · Contact for technical details: e-mail: technik@tintometer.de
- **1.4 Emergency telephone number:** +44 1235 239670 Languages: English

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008



Met. Corr.1 H290 May be corrosive to metals.



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

· 2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. • Hazard pictograms



Signal word Warning
 Hazard statements
 H290 May be corrosive to metals.
 H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 Precautionary statements
 P234 Keep only in original packaging.
 P280 Wear protective gloves / eye protection.

Version number 55

Revision: 01.04.2019

Product name: DPD 1 Reagent Solution

- IF ON SKIN: Wash with plenty of water. P302+P352
 - P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- · 2.3 Other hazards No further relevant information available.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: sulfuric acid solution

· Dangerous components:		
CAS: 7664-93-9	sulphuric acid	5-10%
EINECS: 231-639-5 Index No: 016-020-00-8 Reg.nr.: 01-2119458838-20-XXXX	Met. Corr.1, H290; Skin Corr. 1A, H314	
CAS: 6283-63-2 EINECS: 228-500-6	N,N-diethylbenzene-1,4-diammonium sulphate (1:1) Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; Eye Irrit. 2, H319;	≤ 2.5%
	STOT SE 3, H335	

• Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · General information Instantly remove any clothing soiled by the product.
- · After inhalation Supply fresh air and call for doctor for safety reasons.
- · After skin contact Instantly rinse with water.
- If skin irritation continues, consult a doctor.
- · After eye contact Rinse opened eye for several minutes (at least 15 min) under running water. Then consult doctor.
- After swallowing
- Rinse out mouth and then drink 1-2 glasses of water.
- Seek medical treatment.
- · 4.2 Most important symptoms and effects, both acute and delayed:
- allergic reactions after inhalation: mucosal irritations, Cough, Shortness of breath after swallowing: irritations sickness vomitina after swallowing of large amounts: Danger of gastric perforation. diarrhoea methaemoglobinaemia · Danger Danger of system failure.
- 4.3 Indication of any immediate medical attention and special treatment needed: No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · 5.2 Special hazards arising from the substance or mixture
- The product is not combustible.

Formation of toxic gases is possible during heating or in case of fire.

- Sulphur oxides (SOx)
- 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained breathing apparatus.

(Contd. of page 1)

Version number 55

Revision: 01.04.2019

Product name: DPD 1 Reagent Solution

Wear full protective suit.

Additional information

Printing date 04.06.2019

Collect contaminated fire fighting water separately. It must not enter drains.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures
- · Advice for non-emergency personnel:
- Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation
- Advice for emergency responders: Protective equipment: see section 8
- · 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
- · 6.3 Methods and material for containment and cleaning up:
- Ensure adequate ventilation. Use neutralising agent.

Absorb with liquid-binding material (sand, diatomite, universal binders).

Dispose of contaminated material as waste according to item 13.

6.4 Reference to other sections See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling
- · Advice on safe handling:
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- · Hygiene measures:

Avoid contact with the eyes.

Avoid contact with the skin.

Take off immediately all contaminated clothing. Wash hands during breaks and at the end of the work.

Do not eat, drink or smoke when using this product.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage
- · Requirements to be met by storerooms and containers: Store in cool location.
- · Information about storage in one common storage facility:
- Store away from metals.
- Do not store together with alkalis (caustic solutions). · Further information about storage conditions:
- Keep container tightly sealed.
- Protect from heat and direct sunlight. Protect from the effects of light.
- Protect from humidity and keep away from water. · Recommended storage temperature: 6°C - 10°C
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with limit values that require monitoring at the workplace:	
CAS: 7664-93-9 sulphuric acid	
WEL (Great Britain)	Long-term value: 0.05* mg/m ³ *mist: defined as thoracic fraction
IOELV (European Union)	Long-term value: 0.05 mg/m ³
· Regulatory information	

egulatory information

WEL (Great Britain): EH40/2018 IOELV (European Union): (EU) 2017/164 (Contd. of page 2)

Version number 55

Revision: 01.04.2019

Product name: DPD 1 Reagent Solution

Additional information (OELV India	(Contd. of page 3)		
 Additional information: IOELV = Indicative Occupational Exposure Limit DNELs 			
Derived No Effect Level (DNEL)			
CAS: 7664-93-9 sulphuric acid	•		
Inhalative DNEL 0.1 mg/m3 (Worker /			
	/ acute / systemic effects)		
 Recommended monitoring procedur Methods for measurement of the workp DIN EN 689. 	es: place atmosphere have to correspond to the requirements of norms DIN EN 482 and		
 • PNECs Predicted No Effect Concentration (PN 	EC)		
CAS: 7664-93-9 sulphuric acid			
PNEC 8.8 mg/l (Sewage treatment pla	nt)		
0.00025 mg/l (Marine water)			
0.0025 mg/l (Fresh water)			
PNEC 0.002 mg/kg (Marine sediment) 0.002 mg/kg (Fresh water sedir			
0.002 mg/kg (Fresh water sedir	nent)		
Additional information: The lists that 8.2 Exposure controls	were valid during the compilation were used as basis.		
• Engineering measures: No further da	ta; see item 7.		
· Personal protective equipment			
 Breathing equipment: Use breathing protection against the effects of fumes/dust/aerosol. Recommended filter device for short term use: Filter P2 Protection of hands: Protective gloves. Preventive skin protection by use of skin-protecting agents is recommended. After use of gloves apply skin-cleaning agents and skin cosmetics. Material of gloves nitrile rubber, NBR Recommended thickness of the material: ≥ 0.11 mm Penetration time of glove material Value for the permeation: Level = 1 (< 10 min) The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Safety glasses use against the effects of fumes / dust Body protection: Protective work clothing. 			
	Limitation and supervision of exposure into the environment: Do not allow product to reach sewage system or water bodies.		
SECTION 9: Physical and che	mical properties		
 9.1 Information on basic physical and chemical properties Appearance: 			
Form / Physical state: Colour:	Fluid Colourless		
· Odour: · Odour threshold:	Odourless Not applicable		
· pH-value at 20°C:	<1		
· · Melting point/Freezing point: · Initial boiling point and boiling range	Not determined e: Not determined		
· Flash point:	Not applicable		
Flammability (solid, gas): Ignition temperature:	The product is not combustible. Not applicable		
L			

Version number 55

Revision: 01.04.2019

Product name: DPD 1 Reagent Solution

Printing date 04.06.2019

	(Contd. of page 4)
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not self-igniting.
 Explosive properties: Flammability or explosive limits: 	Product is not explosive.
Lower: Upper:	Not applicable Not applicable
· Oxidising properties:	none
 Vapour pressure: Density at 20°C: Relative density: Vapour density: Evaporation rate: 	Not determined. 1.09 g/cm ³ Not determined. Not determined. Not determined.
· Solubility(ies): Water:	Fully miscible
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	Not determined.
 Solvent content: Organic solvents: Water: Solids content: 	0.0 % > 90 % < 2.5 %
• 9.2 Other information • Metal corrosion rate:	acc. to "Recommendations on the Transport of Dangerous Goods, Manual of Tests and Criteria, Fifth revised Edition"
• steel:	34.87 mm/a

SECTION 10: Stability and reactivity

· 10.1 Reactivity see section 10.3

- · 10.2 Chemical stability Stable at ambient temperature (room temperature).
- 10.3 Possibility of hazardous reactions
- Corrosive action on metals
- Reacts with metals forming hydrogen (--> Explosive!)
- Heating occurs when water is added
- Reacts with reducing agents
- Reacts with acids and alkali (lyes).
- Reacts with ammonia (NH₃). • **10.4 Conditions to avoid** Strong heating (decomposition)
- 10.5 Incompatible materials:
- metals
- alkalis
- combustible substances
- organic solvents

· 10.6 Hazardous decomposition products: see section 5

SECTION 11: Toxicological information

 11.1 Information on 	toxicological effects
---	-----------------------

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

	CAS: 7664-93-9 sulphuric acid		
Oral	LD50	2140 mg/kg (rat) (IUCLID)	
	LC 50	2140 mg/kg (rat) (IUCLID) 510 mg/m ³ /2h (rat) IUCLID	

Version number 55

Revision: 01.04.2019

(Contd. of page 5)

Product name: DPD 1 Reagent Solution

Printing date 04.06.2019

CAS: 6283-63-2 N,N-diethylbenzene-1,4-diammonium sulphate (1:1)

Oral LD50 497 mg/kg (rat) (MERCK)

Dermal LD50 1100 mg/kg (ATE)

· Primary irritant effect:

· Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation Causes serious eye irritation.

· Information on components:

Skin irritation testing performed on 10% sulfuric acid showed slight to no irritation effects (GESTIS).

CAS 6283-63-2: DPD may cause allergic skin reaction

CAS 7664-93-9: chronic: dermatitis

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

- Information on components: CAS 6283-63-2: Sensitization possible in predisposed persons.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) The following statements refer to the mixture:
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.
- STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

· Additional toxicological information:

Vapours and aerosols may be irritant to the mucous membranes and upper respiratory tract. Sulfuric acid: erosion of the teeth, cancer

SECTION 12: Ecological information		
· 12.1 Toxicity		
· Aquatic toxicity:		
CAS: 7664-93-9 sulphuric acid		
EC50 >100 mg/l/48h (Daphnia magna) (OECD 202) (ECHA)		
LC50 16–29 mg/l/96h (bluegill) (Merck)		
 Bacterial toxicity: sulphates toxic > 2.5 g/l Other information: Toxic for fish: sulphates > 7 g/l 12.2 Persistence and degradability No further relevant information available. 12.3 Bioaccumulative potential log Pow 1-3 = Not worth-mentioning accumulating in organisms. 		
CAS: 6283-63-2 N,N-diethylbenzene-1,4-diammonium sulphate (1:1)		
log Pow 2.24 (.) (calculated)		
 12.4 Mobility in soil No further relevant information available. 		
12.5 Results of PBT and vPvB assessment		
This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.		

12.6 Other adverse effects

Harmful effect due to pH shift.

Forms corrosive mixtures with water even if diluted.

Avoid transfer into the environment.

Water hazard:

Do not allow product to reach ground water, water bodies or sewage system. Danger to drinking water if even small quantities leak into soil.

Version number 55

Revision: 01.04.2019

Product name: DPD 1 Reagent Solution

(Contd. of page 6)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Printing date 04.06.2019

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Hand over to disposers of hazardous waste.

· European waste catalogue

16 05 06* laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

· Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information	
· 14.1 UN-Number	
· ADR, IMDG, IATA	UN2796
• 14.2 UN proper shipping name	
· ADR · IMDG, IATA	2796 SULPHURIC ACID mixture SULPHURIC ACID mixture
· 14.3 Transport hazard class(es)	
ADR	
ADR	
· Class	8 (C1) Corrosive substances.
· Label	8
· IMDG, IATA	
S S S S S S S S S S S S S S S S S S S	
Class	8 Corrosive substances.
· Label	8
· 14.4 Packing group	
ADR, IMDG, IATA	II
 14.5 Environmental hazards: Marine pollutant: 	No
 14.6 Special precautions for user Kemler Number: 	Warning: Corrosive substances. 80
· EMS Number:	F-A,S-B
· Segregation groups	Acids
· Stowage Category	В
· 14.7 Transport in bulk according to Annex II of Marpol a	
the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
Excepted quantities (EQ):	E1
Limited quantities (LQ)	1L Cardau F.C.
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· Transport category	2
· Tunnel restriction code	E
	(Contd. on page 8)

Printing date 04.06.2019

Version number 55

Revision: 01.04.2019

(Contd. of page 7)

Product name: DPD 1 Reagent Solution

·IMDG

· Limited quantities (LQ)

· Excepted quantities (EQ)

1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:

None of the ingredients is listed.

· Directive 2012/18/EU (SEVESO III):

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· Regulation (EU) No 649/2012

None of the ingredients is listed.

· National regulations

· Information about limitation of use: Employment restrictions concerning young persons must be observed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

• Training hints Provide adequate information, instruction and training for operators.

· Abbreviations and acronyms:

ICAO: International Civil Aviation Organisation EC50: effective concentration, 50 percent (in vivo) OECD: Organisation for Economic Co-operation and Development STOT: specific target organ toxicity SE: single exposure RE: repeated exposure EC50: half maximal effective concentration IC50: hallf maximal inhibitory concentration NOEL or NOEC: No Observed Effect Level or Concentration ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Met. Corr.1: Corrosive to metals – Category 1 Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Version number 55

Revision: 01.04.2019

Product name: DPD 1 Reagent Solution

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

· Sources

Data arise from safety data sheets, reference works and literature. IUCLID (International Uniform Chemical Information Database) GESTIS- Stoffdatenbank (Substance Database, Germany)

GB —

Printing date 04.06.2019